



IAP6 Rec'd PCT/PTO 23 FEB 2006 *PCT/T*

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

Atty. Docket

HUBERTUS C.M. VAN DEN NIEUWENHUIZEN, ET. AL.

NL021361

Serial No.: 10/539,327 ✓

Filed: June 15, 2005

Title: HIGH-PRESSURE DISCHARGE LAMP, HAVING A SEAL COMPRISING A GAS-FILLED CAVITY

Commissioner for Patents
Alexandria, VA 22313-1450
BOX PCT

REQUEST FOR FILING RECEIPT

Sir:

The above Serial Number was taken from the post card receipt for the application as filed, but no Filing Receipt has yet been received.

Please issue a Filing Receipt.

Respectfully submitted,

By Frank Keegan *7/21/06*
Frank Keegan, Reg. 50,145
Attorney
(914) 333-9669

CERTIFICATE OF MAILING

It is hereby certified that this correspondence is being deposited with the United States Postal Service as first-class mail in an envelope addressed to:

COMMISSIONER FOR PATENTS
PO BOX 1450
Alexandria, VA 22313-1450

On February 21, 2006

By Burnett Jones

LED 51 SEP
2006

REQFIL